European Community Directive on the Conservation of Natural Habitats and of Wild Fauna and Flora (92/43/EEC)

Fourth Report by the United Kingdom under Article 17

on the implementation of the Directive from January 2013 to December 2018

Supporting documentation for the conservation status assessment for the habitat:

H2110 - Embryonic shifting dunes

SCOTLAND

IMPORTANT NOTE - PLEASE READ

- The information in this document is a country-level contribution to the UK Report on the conservation status of this habitat, submitted to the European Commission as part of the 2019 UK Reporting under Article 17 of the EU Habitats Directive.
- The 2019 Article 17 UK Approach document provides details on how this supporting information was used to produce the UK Report.
- The UK Report on the conservation status of this habitat is provided in a separate document.
- The reporting fields and options used are aligned to those set out in the European Commission guidance.
- Explanatory notes (where provided) by the country are included at the end. These provide an audit trail of relevant supporting information.
- Some of the reporting fields have been left blank because either: (i) there was insufficient information to complete the field; (ii) completion of the field was not obligatory; and/or (iii) the field was only relevant at UK-level (sections 10 Future prospects and 11 Conclusions).
- For technical reasons, the country-level future trends for Range, Area covered by habitat and Structure and functions are only available in a separate spreadsheet that contains all the country-level supporting information.
- The country-level reporting information for all habitats and species is also available in spreadsheet format.

Visit the JNCC website, https://jncc.gov.uk/article17, for further information on UK Article 17 reporting.

NATIONAL LEVEL

1. General information

1.1 Member State	UK (Scotland information only)
1.2 Habitat code	2110 - Embryonic shifting dunes

2. Maps

2.1 Year or period	1987-2003

2.3 Distribution map Yes

2.3 Distribution map Method used Complete survey or a statistically robust estimate

2.4 Additional maps

BIOGEOGRAPHICAL LEVEL

3. Biogeographical and marine regions

3.1 Biogeographical or marine region where the habitat occurs

3.2 Sources of information

Atlantic (ATL)

https://www.environment.gov.scot/our-environment/habitats-andspecies/habitat-map-of-scotland/

The Sand Dune Vegetation Survey of Scotland, Tom Dargie 1994-2000 National Report

The Sand Dune Vegetation Survey of Scotland 2012 SNH Natural Spaces dataset SNH Site Condition Monitoring results Cycle 3 (from 1 April 2012): see Scotland's environment website. [From the website Detailed tab, select Coastal features by clicking the Feature filter on the left of the screen, then Feature Category= Coast. Data can be exported to spreadsheet by right clicking the table at the bottom of the screen, then Export, then Export Table. Cycle 3 assessments can be seen by filtering the spreadsheet on the 'LatestAssessedSCMcycle' column].

http://jncc.defra.gov.uk/pdf/Article17Consult 20131010/H2110 SCOTLAND.pdf

4. Range

- 4.1 Surface area (in km²)
- 4.2 Short-term trend Period
- 4.3 Short-term trend Direction
- 4.4 Short-term trend Magnitude
- 4.5 Short-term trend Method used
- 4.6 Long-term trend Period
- 4.7 Long-term trend Direction
- 4.8 Long-term trend Magnitude
- 4.9 Long-term trend Method used
- 4.10 Favourable reference range

4.11 Change and reason for change

- Stable (0)
- a) Minimum

b) Maximum

- a) Minimum
- b) Maximum
- a) Area (km²)
- b) Operator
- c) Unknown No
- d) Method

Improved knowledge/more accurate data

The change is mainly due to: Improved knowledge/more accurate data

4.12 Additional information

in surface area of range

Final data has become available from translation of the Sand Dune Survey of Scotland to Annex I habitats as well as some other NVC surveys and this has

given a complete picture of the distribution of this habitat in Scotland. The changes from previous reported distribution are not great however.

5.	Area	covei	red by	y hak	oitat
----	------	-------	--------	-------	-------

5.1 Year or period	1987-2003		
		1222	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
5.2 Surface area (in km²)	a) Minimum	b) Maximum	c) Best single 2.51
			value
5.3 Type of estimate	95% confidence interval		
5.4 Surface area Method used	Complete survey or a sta	atistically robust estimate	
5.5 Short-term trend Period	2009-2016		
5.6 Short-term trend Direction	Stable (0)		
5.7 Short-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence
			interval
5.8 Short-term trend Method used	Based mainly on extrapolation from a limited amount of data		
5.9 Long-term trend Period			
5.10 Long-term trend Direction			
5.11 Long-term trend Magnitude	a) Minimum	b) Maximum	c) Confidence
			interval
5.12 Long-term trend Method used			
5.13 Favourable reference area	a) Area (km²)		
	b) Operator		
	c) Unknown No		
	d) Method		
5.14 Change and reason for change	4 Change and reason for change Improved knowledge/more accurate data		
in surface area of range	The change is mainly du	e to: Improved knowled	ge/more accurate data

5.15 Additional information

The results of translating the Sand Dune Survey of Scotland from NVC to Annex I habitats has become available through HabMoS. This has given a more accurate data on extent of this habitat , although the Survey is from around 1990. Other NVC survey data has also become available translated rom NVC through HabMoS. There are still some issues with the data from HaBMoS (some overlapping polygons) but this is our best current data.

6. Structure and functions

6. Structure and functions			
6.1 Condition of habitat	a) Area in good condition	Minimum 0.8	Maximum 0.8
	b) Area in not-good condition (km²)	Minimum 0.82	Maximum 0.82
	c) Area where condition is not known (km²)	Minimum 0.89	Maximum 0.89
6.2 Condition of habitat Method used	Complete survey or a statistically robust estimate		
6.3 Short-term trend of habitat area in good condition Period	2009-2016		
6.4 Short-term trend of habitat area in good condition Direction	Uncertain (u)		

6.5 Short-term trend of habitat area in good condition Method used

Insufficient or no data available

6.6 Typical species

Has the list of typical species changed in comparison to the previous **No** reporting period?

6.7 Typical species Method used6.8 Additional information

7. Main pressures and threats

7.1 Characterisation of pressures/threats

Pressure
Modification of coastline, estuary and coastal conditions for
development, use and protection of residential, commercial,
industrial and recreational infrastructure and areas (including
sea defences or coastal protection works and infrastructures)

М

Ranking

(F08)
Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (L01)

, M

Other invasive alien species (other then species of Union concern) (I02)

Problematic native species (I04)

M

Development and maintenance of beach areas for tourism and recreation incl. beach nourishment and beach cleaning (F06)

М

Sports, tourism and leisure activities (F07)
Change of habitat location, size, and / or quality due to climate change (N05)

M M

Mixed source air pollution, air-borne pollutants (J03)

М

Threat

Ranking

Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08)

Н

Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (LO1)

ut, M

Other invasive alien species (other then species of Union concern) (102)

M

Problematic native species (I04)

Development and maintenance of beach areas for tourism and recreation incl. beach nourishment and beach cleaning

M

(F06) Sports, tourism and leisure activities (F07)

М

Change of habitat location, size, and / or quality due to climate change (N05) $\,$

Mixed source air pollution, air-borne pollutants (J03)

M

M

7.2 Sources of information

7.3 Additional information

the construction of new sea defences as well as existing sea defences

Natural erosion occuring in some places

Chamaerion angustifolium, Senecio jacobea, nettle

Corsican pines (or similar) and Heracleum mantegazzianum

Beach cleansing

Trampling and vehicle use

Possible changes in presence of Elytrigia juncea

8. Conservation measures

8.1 Status of measures	a) Are measures needed?	Yes
	b) Indicate the status of measures	Measures identified and taken
8.2 Main purpose of the measures taken	Restore the habitat of the species (related to 'Habitat for the species')	
8.3 Location of the measures taken	Both inside and outside Natura 2000 Medium-term results (within the next two reporting periods, 2019-2030)	
8.4 Response to the measures		
8.5 List of main conservation measures		

Adapt mowing, grazing and other equivalent agricultural activities (CA05)

Management of problematic native species (CI05)

Management, control or eradication of other invasive alien species (CIO3)

Reduce impact of outdoor sports, leisure and recreational activities (CF03)

8.6 Additional information

9. Future prospects

9.1 Future prospects of parameters

- a) Range
- b) Area
- c) Structure and functions

9.2 Additional information

Nitrogen assessment indicates slight deterioration

10. Conclusions

10.1. Range

10.2. Area

10.3. Specific structure and functions

(incl. typical species)

10.4. Future prospects

10.5 Overall assessment of

Conservation Status

10.6 Overall trend in Conservation

Status

10.7 Change and reasons for change

in conservation status and conservation status trend

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

10.8 Additional information

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region)

a) Minimum

b) Maximum

c) Best single value 0.33

11.2 Type of estimate

11.3 Surface area of the habitat type inside the network Method used

11.4 Short-term trend of habitat area in good condition within the network Direction

11.5 Short-term trend of habitat area in good condition within network Method used

11.6 Additional information

Best estimate

Complete survey or a statistically robust estimate

Stable (0)

Based mainly on extrapolation from a limited amount of data

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

Distribution Map




Figure 1: UK distribution map for H2110 - Embryonic shifting dunes. Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The 10km grid square distribution map is based on available habitat records which are considered to be representative of the distribution within the current reporting period. For further details see the 2019 Article17 UK Approach document.

Range Map




Figure 2: UK range map for H2110 - Embryonic shifting dunes. Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The range map has been produced by applying a bespoke range mapping tool for Article 17 reporting (produced by JNCC) to the 10km grid square distribution map presented in Figure 1. The alpha value for this habitat was 25km. For further details see the 2019 Article 17 UK Approach document.