European Community Directive on the Conservation of Natural Habitats and of Wild Fauna and Flora (92/43/EEC)

Fourth Report by the United Kingdom under Article 17

on the implementation of the Directive from January 2013 to December 2018

Supporting documentation for the conservation status assessment for the habitat:

H2120 - Shifting dunes along the shoreline with Ammophila arenaria (`white dunes`)

ENGLAND

IMPORTANT NOTE - PLEASE READ

- The information in this document is a country-level contribution to the UK Report on the conservation status of this habitat, submitted to the European Commission as part of the 2019 UK Reporting under Article 17 of the EU Habitats Directive.
- The 2019 Article 17 UK Approach document provides details on how this supporting information was used to produce the UK Report.
- The UK Report on the conservation status of this habitat is provided in a separate document.
- The reporting fields and options used are aligned to those set out in the European Commission guidance.
- Explanatory notes (where provided) by the country are included at the end. These provide an audit trail of relevant supporting information.
- Some of the reporting fields have been left blank because either: (i) there was insufficient information to complete the field; (ii) completion of the field was not obligatory; and/or (iii) the field was only relevant at UK-level (sections 10 Future prospects and 11 Conclusions).
- For technical reasons, the country-level future trends for Range, Area covered by habitat and Structure and functions are only available in a separate spreadsheet that contains all the country-level supporting information.
- The country-level reporting information for all habitats and species is also available in spreadsheet format.

Visit the JNCC website, https://jncc.gov.uk/article17, for further information on UK Article 17 reporting.

NATIONAL LEVEL

1. General information

1.1 Member State	UK (England information only)
1.2 Habitat code	2120 - Shifting dunes along the shoreline with Ammophila arenaria ("white d

2. Maps

2.1 Year or period	2013-
2.3 Distribution map	Yes
2.3 Distribution map Method used	Complete survey or a statistically robust estimate
2.4 Additional mans	No

BIOGEOGRAPHICAL LEVEL

3. Biogeographical and marine regions

3.1 Biogeographical or marine region where the habitat occurs

3.2 Sources of information

Atlantic (ATL)

JNCC (14/11/2017) Spreadsheet of UK SAC information as contained within the Natura 2000 standard data forms submitted to the European Union.

http://jncc.defra.gov.uk/page-1461

Brownett, JM., Mills, RS,. (2017) The development and application of remote sensing to monitor sand dune habitats. Journal of Coastal Conservation, Volume 21, Number 5, page 643-656. https://link.springer.com/article/10.1007/s11852-017-0504-x

JNCC (2013) 3rd UK Habitats Directive Reporting 2013. UK-level reporting information on Favourable Reference Values. http://jncc.defra.gov.uk/page-6387 Natural England (2015 unpublished) Site of Special Scientific Interest Series short review and assessment for coastal habitat features.

Natural England. 2015. Coastal management theme plan (IPENSTP019)

http://publications.naturalengland.org.uk/publication/6371629661683712? category = 5605910663659520

Natural England. 2015. Climate change theme plan: Developing a strategic approach to climate change adaptation (IPENSTP014)

http://publications.naturalengland.org.uk/publication/4954594591375360? category = 5605910663659520

Natural England. 2015. Public access and disturbance theme plan: A strategic approach to identifying and addressing significant effects on the features of Natura 2000 sites (IPENSTP022)

http://publications.naturalengland.org.uk/publication/6621454219083776?categ ory=5605910663659520

Natural England. 2015. Atmospheric nitrogen theme plan: Developing a strategic approach for England's Natura 2000 sites (IPENSTP013)

http://publications.naturalengland.org.uk/publication/6140185886588928? category = 5605910663659520

JNCC. 2013. Third report by the United Kingdom under article 17 on the implementation of the directive from January 2007 to December 2012 H2120 Shifting dunes along the shoreline with Ammophila arenaria (`white dunes`)

Jones L, Garbutt A and Angus S. 2013. Impacts of climate change on coastal habitats, MCCIP Science Review, 4

http://www.mccip.org.uk/media/13315/2013arc_backingpapers_18_chab.pdf Natural England. 2015. Diffuse water pollution theme plan: Developing a strategic approach to diffuse water pollution for England's Natura 2000 sites (IPENSTP015)

http://publications.naturalengland.org.uk/publication/5848526737113088? category = 5605910663659520

Natural England. 2015. Grazing Theme Plan: Developing a strategic approach for England's Natura 2000 sites. (IPENSTP016)

http://publications.naturalengland.org.uk/publication/4839898496368640? category = 5605910663659520

Natural England. 2015. Hydrological functioning theme plan: Restoring the hydrology of Natura 2000 terrestrial wetlands (IPENSTP018)

http://publications.naturalengland.org.uk/publication/6400975361277952? category = 5605910663659520

Natural England. 2015. Invasive species theme plan: Strategic principles for the management of invasive species on Natura 2000 sites (IPENSTP020)

http://publications.naturalengland.org.uk/publication/6130001713823744?categ ory=5605910663659520

Natural England. 2015. Improvement Programme for England's Natura 2000 sites (IPENS): Planning for the future Programme Report - a summary of the programme findings. (NE601). Natural England.

http://publications.naturalengland.org.uk/publication/5757712073752576?categ ory=4878851540779008

Hansom J.D., Rennie A.F., Dunlop A. & Drummond J. (2011). A methodology to assess the causes and rates of change to Scotland's beaches and sand dunes Phase 1. Scotlish Natural Heritage Commissioned Report No. 364.

Adaptation Sub Committee 2013. Managing the land in a changing climate-Adaptation Sub-Committee progress report 2013. Chapter 5 Regulating services Coastal Habitats. ASC http://www.theccc.org.uk/wp-

content/uploads/2013/07/ASC-2013-Book-singles 2.pdf

Jones, L., Garbutt, A., Hansom, J. and Angus, S. (2013) Impacts of climate change on coastal habitats, MCCIP Science Review 2013, 167-179,

doi:10.14465/2013.arc18.167-179

Taylor, S., Knight, M., & Harfoot, A. (2014) National Biodiversity Climate Change Vulnerability Model (NBCCVM)

http://publications.naturalengland.org.uk/publication/5069081749225472?categ ory=10003

Natural England (2016 Unpublished). Favourable Conservation Status: England Contribution: Coastal Sand Dunes (combining 6 Annex I habitats).

Boardman, C. & Smith, P.H. 2016. Rates of spread of Rosa rugosa (Japanese Rose) determined by GIS on a coastal sand-dune system in Northwest England. J Coast Conserv (2016) 20: 281. https://doi.org/10.1007/s11852-016-0439-7 Doody, P. J. 2013. Sand dune conservation, management and restoration. Springer.

Dynamic Dunes: Daring solutions for Natura 2000 challenges. 2015. Conference presentations https://www.pwn.nl/after-congress and proceedings https://awd.waternet.nl/media/projecten/Life/PDF/Rapport conference Dynamic Dunes 2015.pdf

European Commission 2016. Second Atlantic biogeographic seminar.

http://ec.europa.eu/environment/nature/natura2000/platform/events/263_sec ond_atlantic_natura_2000_seminar_en.htm Includes the 'Dune Road Map' from the LIFE Platform meeting 2016 by Houston J.

http://ec.europa.eu/environment/nature/natura2000/platform/events/258_ecol

ogy morphology management of coastal and inland dunes en.htm Natural England and RSPB, 2014. Climate Change Adaptation Manual. Natural England report 546

Mossman HL, Grant A & Davy AJ. (2013) Implications of climate change for coastal and inter-tidal habitats in the UK. Terrestrial biodiversity climate change impacts report card technical paper. Biodiversity Report Card paper 10 The UK National Ecosystem Assessment Technical Report 2011 Chapter 11: Jones, L. et al. Coastal Margins. The UK National Ecosystem Assessment UNEP-WCMC, Cambridge. http://uknea.unep-

wcmc.org/LinkClick.aspx?fileticket=dNI5e5W5I5Q%3D&tabid=82 Jones, L., Hall, J., Strachan, I., Field, C., Rowe, E., Stevens, C.J., Caporn, S.J.M., Mitchell, R., Britton, A., Smith, R., Bealey, B., Masante, D., Hewison, R., Hicks, K., Whitfield, C. & Mountford, E. 2016. A decision framework to attribute atmospheric nitrogen deposition as a threat to or cause of unfavourable habitat condition on protected sites. JNCC Report No. 579. JNCC, Peterborough Supplementary UK guidance to habitat specialists on accounting for nutrient nitrogen critical load (N CL) exceedance in 2019 Article 17 reporting' (circulated on 29/06/2018).

4. Range

- 4.1 Surface area (in km²)
- 4.2 Short-term trend Period
- 4.3 Short-term trend Direction
- 4.4 Short-term trend Magnitude
- 4.5 Short-term trend Method used
- 4.6 Long-term trend Period
- 4.7 Long-term trend Direction
- 4.8 Long-term trend Magnitude
- 4.9 Long-term trend Method used
- 4.10 Favourable reference range

- Stable (0)
- a) Minimum
- b) Maximum

- a) Minimum
- b) Maximum
- a) Area (km²)
- b) Operator
- c) Unknown No
- d) Method

4.11 Change and reason for change in surface area of range

No change

The change is mainly due to:

4.12 Additional information

5. Area covered by habitat

5.1 Year or period

2013-2018

5.2 Surface area (in km²)

a) Minimum 7.8

b) Maximum 13.8

c) Best single 10.8

value

5.3 Type of estimate

5.4 Surface area Method used

5.5 Short-term trend Period

5.6 Short-term trend Direction

5.7 Short-term trend Magnitude

Best estimate

Based mainly on expert opinion with very limited data

2007-2018

Stable (0)

a) Minimum

b) Maximum

c) Confidence interval

5.8 Short-term trend Method used

Based mainly on extrapolation from a limited amount of data

, , , , , , , , , , , , , , , , , , ,	,			
5.9 Long-term trend Period				
5.10 Long-term trend Direction				
5.11 Long-term trend Magnitude	a) Minimum	b) Maxim	um	c) Confidence
				interval
5.12 Long-term trend Method used				
5.13 Favourable reference area	a) Area (km²)			
	b) Operator			
	c) Unknown	No		
	d) Method			
5.14 Change and reason for change	No change			
in surface area of range	The change is r	mainly due to:		
	THE CHAIRE IS I	Hallily due lu.		

5.15 Additional information

6. Structure and functions

6.1 Condition of habitat	a) Area in good condition (km²)	Minimum 3.66	Maximum 6.44
	b) Area in not-good condition (km²)	Minimum 1.87	Maximum 3.29
	c) Area where condition is not known (km²)	Minimum 2.27	Maximum 4.07
6.2 Condition of habitat Method used	Based mainly on extrapolati	ion from a limited amou	nt of data
6.3 Short-term trend of habitat area in good condition Period	2007-2018		
6.4 Short-term trend of habitat area in good condition Direction	Uncertain (u)		
6.5 Short-term trend of habitat area	Insufficient or no data availa	able	
in good condition Method used	Has the list of typical specie	es changed in compariso	n to the previous No
6.6 Typical species	reporting period?		NO
6.7 Typical species Method used			
6.8 Additional information			

7. Main pressures and threats

7.1 Characterisation of pressures/threats

Pressure	Ranking
Development and maintenance of beach areas for tourism and recreation incl. beach nourishment and beach cleaning (F06)	M
Sports, tourism and leisure activities (F07)	Н
Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08)	Н
Other invasive alien species (other then species of Union concern) (IO2)	M

Wind, wave and tidal power, including infrastructure (D01)	M
Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (L01)	M
Sea-level and wave exposure changes due to climate change (N04)	M
Mixed source air pollution, air-borne pollutants (J03)	Н
Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02)	M
Threat	Ranking
Development and maintenance of beach areas for tourism and recreation incl. beach nourishment and beach cleaning (F06)	M
Sports, tourism and leisure activities (F07)	Н
Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08)	Н
Other invasive alien species (other then species of Union concern) (IO2)	M
Wind, wave and tidal power, including infrastructure (D01)	M
Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (LO1)	M
Sea-level and wave exposure changes due to climate change (N04)	M
Mixed source air pollution, air-borne pollutants (J03)	Н
Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02)	М

7.2 Sources of information

7.3 Additional information

8.1 Status of measures

8. Conservation measures

management, control of eradication of	other invasive unen species (clos)
Management, control or eradication of	other invasive alien species (CIO3)
Improvement of habitat of species from	the directives (CS03)
8.5 List of main conservation measures	
0. F. List of marin annualism marriage	
8.4 Response to the measures	Medium-term results (within the next two reporting periods, 2019-2030)
8.3 Location of the measures taken	Both inside and outside Natura 2000
8.2 Main purpose of the measures taken	Maintain the current range, population and/or habitat for the species
	b) Indicate the status of measures Measures identified and taken

Yes

a) Are measures needed?

Manage/reduce/eliminate diffuse pollution to surface or ground waters from resource exploitation and energy production (CC09)

Implement climate change adaptation measures (CN02)

8.6 Additional information

9. Future prospects

9.1 Future prospects of parameters

- a) Range
- b) Area
- c) Structure and functions

9.2 Additional information

10. Conclusions

10.1. Range

10.2. Area

10.3. Specific structure and functions

(incl. typical species)

10.4. Future prospects

10.5 Overall assessment of

Conservation Status

10.6 Overall trend in Conservation Status

10.7 Change and reasons for change in conservation status and conservation status trend

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

10.8 Additional information

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region)

a) Minimum

b) Maximum

c) Best single value 4.89

11.2 Type of estimate

11.3 Surface area of the habitat type inside the network Method used

11.4 Short-term trend of habitat area in good condition within the network Direction

11.5 Short-term trend of habitat area in good condition within network Method used

11.6 Additional information

Best estimate

Based mainly on extrapolation from a limited amount of data

Stable (0)

Based mainly on extrapolation from a limited amount of data

Area used is taken from JNCC SAC data, derived from Standard Data Forms. 66% of habitat in SACs (2013 Audit).

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

Distribution Map




Figure 1: UK distribution map for H2120 - Shifting dunes along the shoreline with *Ammophila arenaria* ('white dunes'). Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The 10km grid square distribution map is based on available habitat records which are considered to be representative of the distribution within the current reporting period. For further details see the 2019 Article17 UK Approach document.

Range Map




Figure 2: UK range map for H2120 - Shifting dunes along the shoreline with *Ammophila arenaria* (`white dunes`). Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The range map has been produced by applying a bespoke range mapping tool for Article 17 reporting (produced by JNCC) to the 10km grid square distribution map presented in Figure 1. The alpha value for this habitat was 25km. For further details see the 2019 Article 17 UK Approach document.

Explanatory Notes

Habitat code: 2120	
Field label	Note
2.2 Distribution map	2013 UK Habitat Reporting data used. Terrestrial Habitat 10km Square Distribution Map and Data Sources.
2.3 Distribution map; Method used	Map derived from data provided by JNCC Terrestrial Habitat 10-km Square Distribution Map Data and Sources. No new locations have been recorded since 2013.
Habitat code: 2120 Region cod	de: ATL
Field label	Note
5.2 Surface area	Area figures derived from JNCC (14/11/2017) Habitats and Species interest features for SAC. Natura 2000 Standard Data Form.
6.2 Condition of habitat; Method used	The 2013 reports were used and the 2013 range information provided by JNCC. SSSI reporting data was obtained from Natural England's, aggregated to feature level by data analyst. Some of the SSSI data has poor correspondence with Annex I features, and unit area was not equivalent to habitat area. Information from previous reporting rounds and the SAC data used to check for anomalies, and adjusted figures using expert judgement.
6.4 Short term trend of habitat area in good condition; Direction	1/4 or greater of all Annex I coastal sand dune habitats were not assessed under the SSSI condition assessment monitoring programme to assign condition to the feature and hence condition unknown.
6.8 Additional information	Sand dunes are one of the terrestrial N2K sites identified in 2015 as in poor condition. Reasons for unfavourable condition of all sites = diffuse pollution; water levels/drainage, grazing, invasive species (scrub)
7.3 Additional information	For most coastal sand dunes in England the issue of coastal erosion due to insufficient sand supply lead to concerns of how resilient these habitats will be in the future to the potential impacts of climate change (RSL, increase in storms, etc.). In recent decades a dynamic approach to coastal dune management has gained recognition and LIFE projects have been at the forefront of developing new approaches to rejuvenating and restoring dune habitats.
7.3 Additional information	Threats to coastal and inland dunes in northwest Europe include loss and fragmentation of habitats, reduction in area of open sand, succession to scrub and woodland and impact of invasive alien species. Problems are exacerbated in many regions due to Nitrogen deposition. In recent decades a dynamic approach to coastal dune management has gained recognition and LIFE projects have been at the forefront of developing new approaches to rejuvenating and restoring dune habitats.
7.3 Additional information	NE (2015) Improvement Programme for England's Natura 2000 Sites (IPENS) Programme Report: a summary of the programme findings (NE601) states 'threats are known to be the greatest for coastal,habitats due to their direct dependence on coastal processes, hydrology and temperature.'
7.3 Additional information	NE (2015) Climate change theme plan. Developing a strategic approach to climate change adaptation states sand dunes have a medium relative sensitivity to climate change.
10.3 Specific structure and functions	Data as of 4/7/18 based on Reportable Condition of Annex 1 habitats within SSSI units, specifically Annex 1 feature. All Dune Habitat types areas are based on coastal sand dunes PHI within each SSSI unit.

11.4 Short term trend of habitat area in good Direction

A higher area of habitat in the network has been assessed as 'recovering' compared to the area assessed as 'not assesed', if recovery continues there is an expectation of condition within the network; improvement in the habitat. in the absence of further information this has been determined to be at least 'stable'