European Community Directive on the Conservation of Natural Habitats and of Wild Fauna and Flora (92/43/EEC)

Fourth Report by the United Kingdom under Article 17

on the implementation of the Directive from January 2013 to December 2018

Supporting documentation for the conservation status assessment for the habitat:

H2130 - Fixed dunes with herbaceous vegetation ('grey dunes')

ENGLAND

IMPORTANT NOTE - PLEASE READ

- The information in this document is a country-level contribution to the UK Report on the conservation status of this habitat, submitted to the European Commission as part of the 2019 UK Reporting under Article 17 of the EU Habitats Directive.
- The 2019 Article 17 UK Approach document provides details on how this supporting information was used to produce the UK Report.
- The UK Report on the conservation status of this habitat is provided in a separate document.
- The reporting fields and options used are aligned to those set out in the European Commission guidance.
- Explanatory notes (where provided) by the country are included at the end. These provide an audit trail of relevant supporting information.
- Some of the reporting fields have been left blank because either: (i) there was insufficient information to complete the field; (ii) completion of the field was not obligatory; and/or (iii) the field was only relevant at UK-level (sections 10 Future prospects and 11 Conclusions).
- For technical reasons, the country-level future trends for Range, Area covered by habitat and Structure and functions are only available in a separate spreadsheet that contains all the country-level supporting information.
- The country-level reporting information for all habitats and species is also available in spreadsheet format.

Visit the JNCC website, https://jncc.gov.uk/article17, for further information on UK Article 17 reporting.

NATIONAL LEVEL

1. General information

| 1.1 Member State | UK (England information only) |
|------------------|--|
| 1.2 Habitat code | 2130 - Fixed coastal dunes with herbaceous vegetation ("grey dunes") |

2. Maps

| 2.1 Year or period | 2013- |
|----------------------------------|--|
| 2.3 Distribution map | Yes |
| 2.3 Distribution map Method used | Complete survey or a statistically robust estimate |
| 2.4 Additional maps | No |

BIOGEOGRAPHICAL LEVEL

3. Biogeographical and marine regions

3.1 Biogeographical or marine region where the habitat occurs

3.2 Sources of information

Atlantic (ATL)

JNCC (14/11/2017) Spreadsheet of UK SAC information as contained within the Natura 2000 standard data forms submitted to the European Union.

http://jncc.defra.gov.uk/page-1461

Brownett, JM., Mills, RS,. (2017) The development and application of remote sensing to monitor sand dune habitats. Journal of Coastal Conservation, Volume 21, Number 5, page 643-656. https://link.springer.com/article/10.1007/s11852-017-0504-x

JNCC (2013) 3rd UK Habitats Directive Reporting 2013. UK-level reporting information on Favourable Reference Values. http://jncc.defra.gov.uk/page-6387 Janssen, J.A.M.. Rodwell, J.S Garcia M Criado, S. Gubbay, S. Haynes, T, A. Nieto, A., Sanders, N Landucci, F. Loidi, J Ssymank, A. Tahvanainen, T. Valderrabano, M Acosta, A Aronsson, M. Arts, G Attorre, F. Bergmeier, E Bijlsma, R-J. Bioret, F. Bita-Nicolae, C. Biurrun, I. Calix, M. Capelo, J. Carni, A Chytry, M. Dengler, J. Dimopoulos, P. Essl, F. Gardfjell, H. Gigante, D Giusso del Galdo, G. Hajek, M. Jansen, F. Jansen, J. Kapfer, J. Mickolajczak, A Molina, J A. Molnar, Z. Paternoster, D. Piernik, A. Poulin, B. Renaux, B Schaminee, JHJ. Sumberova, K Toivonen, H. Tonteri, T. Tsiripidis, I. Tzonev R and Valachovic, M. 2016 European Red List of Habitats: Part 2 Terrestrial & Freshwater Habitats. European Commission, DG Environment

http://ec.europa.eu/environment/nature/knowledge/pdf/terrestrial_EU_red_list _report.pdf

Natural England (2015 unpublished) Site of Special Scientific Interest Series short review and assessment for coastal habitat features.

JNCC. 2013. Third report by the United Kingdom under article 17 on the implementation of the directive from January 2007 to December 2012 H2130 Fixed dunes with herbaceous vegetation ('grey dunes')

Jones L, Garbutt A and Angus S. 2013. Impacts of climate change on coastal habitats, MCCIP Science Review, 4

http://www.mccip.org.uk/media/13315/2013arc_backingpapers_18_chab.pdf Natural England. 2015. Coastal management theme plan (IPENSTP019) http://publications.naturalengland.org.uk/publication/6371629661683712?categ ory=5605910663659520

Natural England. 2015. Climate change theme plan: Developing a strategic approach to climate change adaptation (IPENSTP014)

http://publications.naturalengland.org.uk/publication/4954594591375360? category = 5605910663659520

Natural England. 2015. Public access and disturbance theme plan: A strategic approach to identifying and addressing significant effects on the features of Natura 2000 sites (IPENSTP022)

http://publications.naturalengland.org.uk/publication/6621454219083776? category = 5605910663659520

Natural England. 2015. Atmospheric nitrogen theme plan: Developing a strategic approach for England's Natura 2000 sites (IPENSTP013)

http://publications.naturalengland.org.uk/publication/6140185886588928? category = 5605910663659520

Natural England. 2015. Diffuse water pollution theme plan: Developing a strategic approach to diffuse water pollution for England's Natura 2000 sites (IPENSTP015)

http://publications.naturalengland.org.uk/publication/5848526737113088? category = 5605910663659520

Natural England. 2015. Grazing Theme Plan: Developing a strategic approach for England's Natura 2000 sites. (IPENSTP016)

http://publications.naturalengland.org.uk/publication/4839898496368640?categ ory=5605910663659520

Natural England. 2015. Hydrological functioning theme plan: Restoring the hydrology of Natura 2000 terrestrial wetlands (IPENSTP018)

http://publications.naturalengland.org.uk/publication/6400975361277952? category = 5605910663659520

Natural England. 2015. Invasive species theme plan: Strategic principles for the management of invasive species on Natura 2000 sites (IPENSTP020)

http://publications.naturalengland.org.uk/publication/6130001713823744? category = 5605910663659520

Natural England. 2015. Improvement Programme for England's Natura 2000 sites (IPENS): Planning for the future Programme Report - a summary of the programme findings. (NE601). Natural England.

http://publications.naturalengland.org.uk/publication/5757712073752576?categ ory=4878851540779008

Hansom J.D., Rennie A.F., Dunlop A. & Drummond J. (2011). A methodology to assess the causes and rates of change to Scotland's beaches and sand dunes Phase 1. Scotlish Natural Heritage Commissioned Report No. 364.

Adaptation Sub Committee 2013. Managing the land in a changing climate-Adaptation Sub-Committee progress report 2013. Chapter 5 Regulating services Coastal Habitats. ASC http://www.theccc.org.uk/wp-

content/uploads/2013/07/ASC-2013-Book-singles_2.pdf

Jones, L., Garbutt, A., Hansom, J. and Angus, S. (2013) Impacts of climate change on coastal habitats, MCCIP Science Review 2013, 167-179,

doi:10.14465/2013.arc18.167-179

Taylor, S., Knight, M., & Harfoot, A. (2014) National Biodiversity Climate Change Vulnerability Model (NBCCVM)

http://publications.naturalengland.org.uk/publication/5069081749225472?categ ory=10003

Natural England (2016 Unpublished). Favourable Conservation Status: England Contribution: Coastal Sand Dunes (combining 6 Annex I habitats).

Boardman, C. & Smith, P.H. 2016. Rates of spread of Rosa rugosa (Japanese Rose) determined by GIS on a coastal sand-dune system in Northwest England. J Coast Conserv (2016) 20: 281. https://doi.org/10.1007/s11852-016-0439-7

Doody, P. J. 2013. Sand dune conservation, management and restoration. Springer.

Dynamic Dunes: Daring solutions for Natura 2000 challenges. 2015. Conference presentations https://www.pwn.nl/after-congress and proceedings https://awd.waternet.nl/media/projecten/Life/PDF/Rapport conference Dynamic Dunes 2015.pdf

European Commission 2016. Second Atlantic biogeographic seminar. http://ec.europa.eu/environment/nature/natura2000/platform/events/263_sec ond_atlantic_natura_2000_seminar_en.htm Includes the 'Dune Road Map' from the LIFE Platform meeting 2016 by Houston J.

http://ec.europa.eu/environment/nature/natura2000/platform/events/258_ecol ogy_morphology_management_of_coastal_and_inland_dunes_en.htm Isermann, M. 2008. Expansion of Rosa rugosa and Hippophae rhamnoides in coastal grey dunes: effects at different spatial scales. Flora 203: 273-280. Natural England and RSPB, 2014. Climate Change Adaptation Manual. Natural England report 546

Mossman HL, Grant A & Davy AJ. (2013) Implications of climate change for coastal and inter-tidal habitats in the UK. Terrestrial biodiversity climate change impacts report card technical paper. Biodiversity Report Card paper 10 The UK National Ecosystem Assessment Technical Report 2011 Chapter 11: Jones, L. et al. Coastal Margins. The UK National Ecosystem Assessment UNEP-WCMC, Cambridge. http://uknea.unep-

wcmc.org/LinkClick.aspx?fileticket=dNI5e5W5I5Q%3D&tabid=82 Jones, L., Hall, J., Strachan, I., Field, C., Rowe, E., Stevens, C.J., Caporn, S.J.M., Mitchell, R., Britton, A., Smith, R., Bealey, B., Masante, D., Hewison, R., Hicks, K., Whitfield, C. & Mountford, E. 2016. A decision framework to attribute atmospheric nitrogen deposition as a threat to or cause of unfavourable habitat condition on protected sites. JNCC Report No. 579. JNCC, Peterborough Earl, G.C.J. (2015) Eco-hydrological interactions within a sand dune system in South East England. PhD thesis, Canterbury Christ Church University. https://create.canterbury.ac.uk/13317/1/13317.pdf

4. Range

- 4.1 Surface area (in km²)
- 4.2 Short-term trend Period
- 4.3 Short-term trend Direction
- 4.4 Short-term trend Magnitude
- 4.5 Short-term trend Method used
- 4.6 Long-term trend Period
- 4.7 Long-term trend Direction
- 4.8 Long-term trend Magnitude
- 4.9 Long-term trend Method used
- 4.10 Favourable reference range
- 4.11 Change and reason for change in surface area of range

- Stable (0)
- a) Minimum

b) Maximum

a) Minimum

- b) Maximum
- a) Area (km²)
- b) Operator
- c) Unknown No
- d) Method
- No change

The change is mainly due to:

4.12 Additional information

5. Area covered by habitat

5.1 Year or period 2013-2018 5.2 Surface area (in km²) a) Minimum 39 b) Maximum 67 c) Best single 53 value 5.3 Type of estimate Best estimate 5.4 Surface area Method used Based mainly on expert opinion with very limited data 5.5 Short-term trend Period 2007-2018 5.6 Short-term trend Direction Stable (0) 5.7 Short-term trend Magnitude a) Minimum b) Maximum c) Confidence interval 5.8 Short-term trend Method used Based mainly on extrapolation from a limited amount of data 5.9 Long-term trend Period 5.10 Long-term trend Direction 5.11 Long-term trend Magnitude a) Minimum b) Maximum c) Confidence interval 5.12 Long-term trend Method used 5.13 Favourable reference area a) Area (km²) b) Operator c) Unknown No d) Method 5.14 Change and reason for change No change in surface area of range The change is mainly due to:

5.15 Additional information

6. Structure and functions

| 6.1 Condition of habitat | a) Area in good condition (km²) | Minimum 4.53 | Maximum 7 | .77 |
|--|--|-------------------|-------------------------|------|
| | b) Area in not-good condition (km²) | Minimum 24.6 | 7 Maximum 4. | 2 |
| | c) Area where condition is not known (km²) | Minimum 9.8 | Maximum 1 | 7.23 |
| 6.2 Condition of habitat Method used | Based mainly on extrapolati | on from a limited | d amount of data | |
| 6.3 Short-term trend of habitat area in good condition Period | 2007-2018 | | | |
| 6.4 Short-term trend of habitat area in good condition Direction | Decreasing (-) | | | |
| 6.5 Short-term trend of habitat area | Based mainly on extrapolati | on from a limited | d amount of data | |
| in good condition Method used 6.6 Typical species | Has the list of typical specie | s changed in com | parison to the previous | No |
| o.o Typical species | reporting period? | | | |
| 6.7 Typical species Method used | | | | |
| 6.8 Additional information | | | | |

7. Main pressures and threats

7.1 Characterisation of pressures/threats

| Pressure | Ranking |
|----------|---------|
| | |

Н

Natural succession resulting in species composition change

| (other than by direct changes of agricultural or forestry practices) (LO2) | |
|--|--------------|
| Mixed source air pollution, air-borne pollutants (J03) | Н |
| Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02) | Н |
| Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06) | Н |
| Sports, tourism and leisure activities (F07) | Н |
| Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08) | Н |
| Increases or changes in precipitation due to climate change (N03) | Н |
| Replanting with or introducing non-native or non-typical species (including new species and GMOs) (B03) | M |
| Conversion from one type of agricultural land use to another (excluding drainage and burning) (A02) | M |
| Abiotic natural processes (e.g. erosion, silting up, drying out, submersion, salinization) (LO1) | M |
| Other invasive alien species (other then species of Union concern) (IO2) | M |
| | |
| Threat | Ranking |
| Threat Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (LO2) | Ranking H |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry | |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (LO2) | Н |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (LO2) Mixed source air pollution, air-borne pollutants (JO3) Construction or modification (e.g. of housing and settlements) | Н |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02) Mixed source air pollution, air-borne pollutants (J03) Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02) Abandonment of grassland management (e.g. cessation of | H H |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02) Mixed source air pollution, air-borne pollutants (J03) Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02) Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06) | H H H |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02) Mixed source air pollution, air-borne pollutants (J03) Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02) Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06) Sports, tourism and leisure activities (F07) Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) | H H H |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02) Mixed source air pollution, air-borne pollutants (J03) Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02) Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06) Sports, tourism and leisure activities (F07) Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08) Increases or changes in precipitation due to climate change | H H H H |
| Natural succession resulting in species composition change (other than by direct changes of agricultural or forestry practices) (L02) Mixed source air pollution, air-borne pollutants (J03) Construction or modification (e.g. of housing and settlements) in existing urban or recreational areas (F02) Abandonment of grassland management (e.g. cessation of grazing or mowing) (A06) Sports, tourism and leisure activities (F07) Modification of coastline, estuary and coastal conditions for development, use and protection of residential, commercial, industrial and recreational infrastructure and areas (including sea defences or coastal protection works and infrastructures) (F08) Increases or changes in precipitation due to climate change (N03) Replanting with or introducing non-native or non-typical | H H H H H H |

Other invasive alien species (other then species of Union M concern) (I02)

7.2 Sources of information

7.3 Additional information

8. Conservation measures

8.5 List of main conservation measures

| 8.1 Status of measures | a) Are measures needed? | Yes |
|--|--|--------------------------------------|
| | b) Indicate the status of measures | Measures identified and taken |
| 8.2 Main purpose of the measures taken | Restore the habitat of the species (re | elated to 'Habitat for the species') |
| 8.3 Location of the measures taken | Both inside and outside Natura 2000 |) |
| 8.4 Response to the measures | Medium-term results (within the nex | kt two reporting periods, 2019-2030) |

Improvement of habitat of species from the directives (CS03)

Management, control or eradication of other invasive alien species (CIO3)

Manage changes in hydrological and coastal systems and regimes for construction and development (CF10)

Manage/reduce/eliminate diffuse pollution to surface or ground waters from resource exploitation and energy production (CC09)

Implement climate change adaptation measures (CN02)

8.6 Additional information

9. Future prospects

9.1 Future prospects of parameters

- a) Range
- b) Area
- c) Structure and functions

9.2 Additional information

10. Conclusions

10.1. Range

10.2. Area

10.3. Specific structure and functions

(incl. typical species)

10.4. Future prospects

10.5 Overall assessment of

Conservation Status

10.6 Overall trend in Conservation

Status

10.7 Change and reasons for change in conservation status and

conservation status trend

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

No change

The change is mainly due to:

10.8 Additional information

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

| 11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region) |
|---|
| 11.2 Type of estimate |
| 11.3 Surface area of the habitat type |

inside the network Method used

11.4 Short-term trend of habitat area in good condition within the network Direction

11.5 Short-term trend of habitat area in good condition within network Method used

11.6 Additional information

a) Minimum

b) Maximum

c) Best single value 14.67

Best estimate

Based mainly on extrapolation from a limited amount of data

Decreasing (-)

Based mainly on extrapolation from a limited amount of data

Area used is taken from JNCC SAC data, derived from Standard Data Forms. 42% of habitat in SACs (2013 Audit).

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

Distribution Map




Figure 1: UK distribution map for H2130 - Fixed dunes with herbaceous vegetation (`grey dunes`). Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The 10km grid square distribution map is based on available habitat records which are considered to be representative of the distribution within the current reporting period. For further details see the 2019 Article17 UK Approach document.

Range Map




Figure 2: UK range map for H2130 - Fixed dunes with herbaceous vegetation ('grey dunes'). Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The range map has been produced by applying a bespoke range mapping tool for Article 17 reporting (produced by JNCC) to the 10km grid square distribution map presented in Figure 1. The alpha value for this habitat was 25km. For further details see the 2019 Article 17 UK Approach document.

Explanatory Notes

| Habitat code: 2130 | |
|---|---|
| Field label | Note |
| 2.2 Distribution map | 2013 UK Habitat Reporting data used. Terrestrial Habitat 10km Square Distribution Map and Data Sources. |
| 2.3 Distribution map; Method used | Map derived from data provided by JNCC Terrestrial Habitat 10-km Square Distribution Map Data and Sources. No new locations have been recorded since 2013. |
| Habitat code: 2130 Region cod | de: ATL |
| Field label | Note |
| 5.2 Surface area | Area figures derived from JNCC (14/11/2017) Habitats and Species interest features for SAC. Natura 2000 Standard Data Form. |
| 6.2 Condition of habitat; Method used | The 2013 reports were used and the 2013 range information provided by JNCC. SSSI reporting data was obtained from Natural England's, aggregated to feature level by data analyst. Some of the SSSI data has poor correspondence with Annex I features, and unit area was not equivalent to habitat area. Information from previous reporting rounds and the SAC data used to check for anomalies, and adjusted figures using expert judgement. |
| 6.4 Short term trend of habitat area in good condition; Direction | 25% or more of Annex I habitats were not assessed under the SSSI condition assessment monitoring programme - to assign decreasing condition to the feature expert opinion is used, based on a few surveys as part of sand dune habitat mapping work programme |
| 6.8 Additional information | Sand dunes are one of the terrestrial N2K sites identified in 2015 as in poor condition. Reasons for unfavourable condition of all sites = diffuse pollution; water levels/drainage, grazing, invasive species (scrub) |
| 7.3 Additional information | For most coastal sand dunes in England the issue of coastal erosion due to insufficient sand supply lead to concerns of how resilient these habitats will be in the future to the potential impacts of climate change (RSL, increase in storms, etc.). In recent decades a dynamic approach to coastal dune management has gained recognition and LIFE projects have been at the forefront of developing new approaches to rejuvenating and restoring dune habitats. |
| 7.3 Additional information | Threats to coastal and inland dunes in northwest Europe include loss and fragmentation of habitats, reduction in area of open sand, succession to scrub and woodland and impact of invasive alien species. Problems are exacerbated in many regions due to Nitrogen deposition. In recent decades a dynamic approach to coastal dune management has gained recognition and LIFE projects have been at the forefront of developing new approaches to rejuvenating and restoring dune habitats. |
| 7.3 Additional information | NE (2015) Improvement Programme for England's Natura 2000 Sites (IPENS) Programme Report: a summary of the programme findings (NE601) states 'threats are known to be the greatest for coastal,habitats due to their direct dependence on coastal processes, hydrology and temperature.' |
| 7.3 Additional information | NE (2015) Climate change theme plan. Developing a strategic approach to climate change adaptation states sand dunes have a medium relative sensitivity to climate change. |
| 10.3 Specific structure and functions | Data as of 4/7/18 based on Reportable Condition of Annex 1 habitats within SSSI units, specifically Annex 1 feature. All Dune Habitat types areas are based on coastal sand dunes PHI within each SSSI unit. |

11.4 Short term trend of habitat area in good condition within the network; Direction

A high extent of area (<30%) of habitat in the network has not been assessed, however, there is a high proportion 'recovering' compared to the area that has been assessed as 'favourable'. This has been indicated as a short term trend of decline, however, long term recovery appears likely due to high extent of habitat assessed as 'unfavourable recovering'