European Community Directive on the Conservation of Natural Habitats and of Wild Fauna and Flora (92/43/EEC)

Fourth Report by the United Kingdom under Article 17

on the implementation of the Directive from January 2013 to December 2018

Conservation status assessment for the habitat:

H4080 - Sub-Arctic Salix spp. scrub

UNITED KINGDOM

IMPORTANT NOTE - PLEASE READ

- The information in this document represents the UK Report on the conservation status of this habitat, submitted to the European Commission as part of the 2019 UK Reporting under Article 17 of the EU Habitats Directive.
- It is based on supporting information provided by the geographically-relevant Statutory Nature Conservation Bodies, which is documented separately.
- The 2019 Article 17 UK Approach document provides details on how this supporting information contributed to the UK Report and the fields that were completed for each parameter.
- The reporting fields and options used are aligned to those set out in the European Commission guidance.
- Maps showing the distribution and range of the habitat are included (where available).
- Explanatory notes (where provided) are included at the end. These provide additional audit trail information to that included within the UK assessments. Further underpinning explanatory notes are available in the related country-level and/or UK offshorelevel reports.
- Some of the reporting fields have been left blank because either: (i) there was insufficient information to complete the field; and/or (ii) completion of the field was not obligatory.
- The UK-level reporting information for all habitats and species is also available in spreadsheet format.

Visit the JNCC website, https://jncc.gov.uk/article17, for further information on UK Article 17 reporting.

NATIONAL LEVEL

1. General information

1.1 Member State UK

1.2 Habitat code 4080 - Sub-Arctic Salix spp. scrub

2. Maps

2.1 Year or period 1999-2018

2.3 Distribution map Yes

2.3 Distribution map Method used Complete survey or a statistically robust estimate

2.4 Additional maps

BIOGEOGRAPHICAL LEVEL

3. Biogeographical and marine regions

3.1 Biogeographical or marine region where the habitat occurs

3.2 Sources of information

Atlantic (ATL)

England

http://www.lakedistrictweatherline.co.uk/__data/assets/pdf_file/0017/132506/winter_guide_conservation_section.pdfhttp://www.plantlife.org.uk/wild_plants/important_plant_areas/lake_district/

http://www.theuiaa.org/upload_area/files/1/Green-guide_UK_LakeDistrict-BMC.pdf CUMBRIA BIOLOGICAL DATA NETWORK. 2010. Montane Habitats. Http://www.lakelandwildlife.co.uk/biodiversity/pdfs/Montane habitats 100121 finished.pdf

BACKSHALL, J., MANLEY, J., REBANE, M. 2001. Chapter 5: Montane areas. In: The Upland Management Handbook. English Nature, Peterborough. HORSFIELD, D. 2010.

UK BAP PRIORITY HABITAT ACTION PLAN: Mountain heaths and willow scrub. Scottish Natural Heritage (Produced on behalf of UK BAP Upland Group SCOTTISH MONTANE WILLOW RESEARCH GROUP. 2005. Biodiversity: taxonomy, genetics and ecology of sub-arctic willow scrub. Royal Botanic Garden Edinburgh. WEBB, S. 2008.

Restoration of downy willow in England. Scrubbers: The Bulletin of the Montane Scrub Action Group. No.7 pp 19-22.

(http://www.mountainwoodlands.org/PUBLICATIONS-g.asp Scotland

References within -

http://jncc.defra.gov.uk/pdf/Article17Consult_20131010/H4080_SCOTLAND.pdf SNH SCM database, extract A2298772, 2017, processed and summarised in A2496115.

Montane willow scrub feature type (JNCC, (2009), Common Standards Monitoring Guidance for Upland Habitats, Version July 2009 and previous versions) http://jncc.defra.gov.uk/page-2237

4. Range

4.1 Surface area (in km²)

4.2 Short-term trend Period

4.3 Short-term trend Direction

4.4 Short-term trend Magnitude

11192.1

2007-2018

Stable (0)

a) Minimum

b) Maximum

4.5 Short-term trend Method used 4.6 Long-term trend Period 4.7 Long-term trend Direction 4.8 Long-term trend Magnitude 4.9 Long-term trend Method used 4.10 Favourable reference range

Based mainly on extrapolation from a limited amount of data

a) Minimum

b) Maximum

a) Area (km²)

b) Operator

c) Unknown Yes

d) Method The FRR is unknown. The approach taken to set the FRR is

> explained in the 2007 and 2013 UK Article 17 habitat reports (see http://jncc.defra.gov.uk/page-4064 and

http://jncc.defra.gov.uk/page-6563).

4.11 Change and reason for change in surface area of range

No change

The change is mainly due to:

4.12 Additional information

5. Area covered by habitat

5.1 Year or period

2007-2018

5.2 Surface area (in km²)

a) Minimum

b) Maximum

c) Best single 0.23

value

5.3 Type of estimate

Best estimate

5.4 Surface area Method used

Based mainly on extrapolation from a limited amount of data

5.5 Short-term trend Period

2007-2018

5.6 Short-term trend Direction 5.7 Short-term trend Magnitude Uncertain (u) a) Minimum

Insufficient or no data available

b) Maximum

c) Confidence

interval

5.8 Short-term trend Method used

5.9 Long-term trend Period

5.10 Long-term trend Direction

5.11 Long-term trend Magnitude

a) Minimum

b) Maximum

c) Confidence

interval

5.12 Long-term trend Method used

5.13 Favourable reference area

a) Area (km²)

b) Operator

c) Unknown

Yes

d) Method The FRA is unknown. The approach taken to set the FRA is

explained in the 2007 and 2013 UK Article 17 habitat reports

(see http://jncc.defra.gov.uk/page-4064 and

http://jncc.defra.gov.uk/page-6563).

5.14 Change and reason for change in surface area of range

No change

The change is mainly due to:

5.15 Additional information

6. Structure and functions

6.1 Condition of habitat

a) Area in good condition (km²)

Minimum 0

Maximum 0

b) Area in not-good Minimum 0.235 Maximum 0.235 condition (km²)
c) Area where condition is Minimum 0 Maximum 0 not known (km²)

6.2 Condition of habitat Method Complete survey or a statistically robust estimate used

6.3 Short-term trend of habitat area in good condition Period
6.4 Short-term trend of habitat area Stable (0)

6.5 Short-term trend of habitat area in good condition Method used

Complete survey or a statistically robust estimate

Has the list of typical species changed in comparison to the previous

6.6 Typical species Method used

ras the list of typical species changed in comparison to the previous No

7. Main pressures and threats

7.1 Characterisation of pressures/threats

in good condition Direction

6.8 Additional information

Pressure	Ranking
Intensive grazing or overgrazing by livestock (A09)	Н
Management of fishing stocks and game (G08)	Н
Mixed source air pollution, air-borne pollutants (J03)	Н
Reduced fecundity / genetic depression (e.g. inbreeding or endogamy) (L05)	M
Temperature changes (e.g. rise of temperature & extremes) due to climate change (N01)	Н
Threat	Ranking
Threat Intensive grazing or overgrazing by livestock (A09)	Ranking H
Intensive grazing or overgrazing by livestock (A09)	Н
Intensive grazing or overgrazing by livestock (A09) Management of fishing stocks and game (G08)	H H

7.2 Sources of information

7.3 Additional information

JO3: Mixed source air pollution, air-borne pollutants is ranked as a High ranked pressure and threat, due to the nutrient N critical load for the habitat being exceeded across >25% of the habitat area

8. Conservation measures

8.1 Status of measures a) Are measures needed?

b) Indicate the status of measures Measures identified and taken

8.2 Main purpose of the measures taken

Restore the habitat of the species (related to 'Habitat for the species')

8.3 Location of the measures taken

Only inside Natura 2000

8.4 Response to the measures

Medium-term results (within the next two reporting periods, 2019-2030)

8.5 List of main conservation measures

Adapt mowing, grazing and other equivalent agricultural activities (CA05)

Management of hunting, recreational fishing and recreational or commercial harvesting or collection of plants (CG02)

Manage other native species (CS04)

8.6 Additional information

9. Future prospects

9.1 Future prospects of parameters

a) Range

Unknown

b) Area

Unknown

b) / ti ca

c) Structure and functions Bad

9.2 Additional information

Future trend of Range is Unknown; Future trend of Area is Unknown; and Future trend of Structure and functions is Very negative - important deterioration. The Future prospects for Structure and functions takes into account that at least 25% of the habitat area is expected to be in unfavourable (not good) condition in c.2030 due to nutrient N critical load exceedance, unless measures are taken to reduce N deposition impacts.

10. Conclusions

10.1. Range

10.2. Area

Unknown (XX)

Unknown (XX)

10.3. Specific structure and functions (incl. typical species)

10.4. Future prospects

10.5 Overall assessment of

Conservation Status

10.6 Overall trend in Conservation

Status

10.7 Change and reasons for change in conservation status and conservation status trend

Unfavourable - Bad (U2)

Unfavourable - Bad (U2)

Unfavourable - Bad (U2)

Stable (=)

a) Overall assessment of conservation status

No change

The change is mainly due to:

b) Overall trend in conservation status

Genuine change

The change is mainly due to: Genuine change

10.8 Additional information

Conclusion on Range reached because: (i) the short-term trend direction in Range surface area is stable; and (ii) the Favourable Reference Range is unknown.

Conclusion on Area covered by habitat reached because: (i) the short-term trend direction in Area is uncertain; and (ii) the Favourable Reference Area is unknown. Conclusion on Structure and functions reached because habitat condition data

indicates that more than 25% of the habitat is in unfavourable (not good) condition.

Conclusion on Future prospects reached because: (i) the Future prospects for Range are unknown; (ii) the Future prospects for Area covered by habitat are unknown; and (iii) the Future prospects for Structure and functions are bad. Overall assessment of Conservation Status is Unfavourable-bad because one or more of the conclusions is Unfavourable-bad.

Overall trend in Conservation Status is based on the combination of the short-term trends for Range - stable, Area covered by habitat - uncertain, and Structure and functions - stable. If the very negative future trend in Structure and functions is also taken into account, the Overall trend would be deteriorating. The Overall trend in Conservation Status has changed between 2013 and 2019 because the Structure and functions trend has changed from decreasing to stable.

11. Natura 2000 (pSCIs, SCIs, SACs) coverage for Annex I habitat types

- 11.1 Surface area of the habitat type inside the pSCIs, SCIs and SACs network (in km² in biogeographical/marine region)
- 11.2 Type of estimate
- 11.3 Surface area of the habitat type inside the network Method used
- 11.4 Short-term trend of habitat area in good condition within the network Direction
- 11.5 Short-term trend of habitat area in good condition within network Method used
- 11.6 Additional information

- a) Minimum
- b) Maximum
- c) Best single value 0.235

Best estimate

Based mainly on extrapolation from a limited amount of data

Stable (0)

Complete survey or a statistically robust estimate

12. Complementary information

12.1 Justification of % thresholds for trends

12.2 Other relevant information

Distribution Map




Figure 1: UK distribution map for H4080 - Sub-Arctic *Salix* spp. scrub. Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The 10km grid square distribution map is based on available habitat records which are considered to be representative of the distribution within the current reporting period. For further details see the 2019 Article17 UK Approach document.

Range Map



Figure 2: UK range map for H4080 - Sub-Arctic *Salix* spp. scrub. Coastline boundary derived from the Oil and Gas Authority's OGA and Lloyd's Register SNS Regional Geological Maps (Open Source). Open Government Licence v3 (OGL). Contains data © 2017 Oil and Gas Authority.

The range map has been produced by applying a bespoke range mapping tool for Article 17 reporting (produced by JNCC) to the 10km grid square distribution map presented in Figure 1. The alpha value for this habitat was 25km. For further details see the 2019 Article 17 UK Approach document.